





Danfoss **FF4514** and **FF4521** 90° Swivel Adapter Families

Danfoss **FF4514** and **FF4521** 90° Swivel Adapter Families

Danfoss **FF4514** and **FF4521** swivel adapter families are specifically developed for liquid cooling hose assembly connection to data center server rack manifolds.

The swivelling feature allows an easy and fast installation of cooling lines to the rack manifold also in tight environment.



Product Features

- Swivelling functionality for easy and fast connection
- Available for different hose sizes and port threads
- 304 stainless steel material provides broad fluid compatibility
- Standard seal material: EPDM, additional material available on request
- Operation temperature range: -3°C min (26.6°F), 60°C max (140°F)*
- 100% of production parts are helium leakage tested
- Production related QR code for easy traceability

Physical characteristics

Part Number	Max. operating pressure	Max. proof pressure	Min. burst pressure	Seal Materials
FF4514-2032-568	10 bar	17 bar	21 bar	EPDM&EPR
FF4514-2024-568	10 bar	17 bar	21 bar	EPDM&EPR
FF4514-3232-568	10 bar	17 bar	21 bar	EPDM&EPR
FF4521-1616-568	10 bar	17 bar	21 bar	EPDM&EPR

Applications & Markets

- Data Centers
- Thermal Management Systems




Figure 1




Figure 2

Dimensions

Part number	Hose barb Size	Port Thread	Fig.	A		B		C		S1		S2	
			n°	(mm)	(in)	(mm)	(in)	(mm)	(in)	(mm)	(in)	(mm)	(in)
FF4514-2024-568	-24	G1.1/4-11 ISO1179-2 BSPP	1	20.0	0.79	84.5	3.33	104.0	4.09	70.0	2.76	65.0	2.56
FF4514-2032-568	-32	G1.1/4-11 ISO1179-2 BSPP	1	20.0	0.79	84.5	3.33	113.0	4.45	70.0	2.76	65.0	2.56
FF4514-3232-568	-32	G2-11 ISO1179-2 BSPP	1	24.0	0.94	84.5	3.33	113.0	4.45	75.0	2.95	65.0	2.56
FF4521-1616-568	-16	G1-11 ISO1179-2 BSPP	2	18.0	0.71	28.0	1.10	65.3	2.57	-	-	41.0	1.61



Beijing Hansen Fluid Technology Co., Ltd.

Danfoss Data center liquid cooling authorized distributor

Rm2115, Tower C, Wangjing SOHO,
Chaoyang district Beijing , China
Tel 010-8428 2935
Mobile 13910962635 WeChat
www.hansenfluid.com
max_yang@hansenfluid.com

Any information, including, but not limited to information on selection of product, its application or use, product design, weight, dimensions, capacity or any other technical data in product manuals, catalogues descriptions, advertisements, etc. and whether made available in writing, orally, electronically, online or via download, shall be considered informative, and is only binding if and to the extent, explicit reference is made in a quotation or order confirmation. Danfoss cannot accept any responsibility for possible errors in catalogues, brochures, videos and other material. Danfoss reserves the right to alter its products without notice. This also applies to products ordered but not delivered provided that such alterations can be made without changes to form, fit or function of the product. All trademarks in this material are property of Danfoss A/S or Danfoss group companies. Danfoss and the Danfoss logo are trademarks of Danfoss A/S. All rights reserved.

Danfoss A/S
Nordborgvej 81
6430 Nordborg
Denmark
danfoss@danfoss.com
CVR reg. no. 20165715